

## CS 61A Spring 2003 Week 1 First Lab

Tuesday 1/21 or Wednesday 1/22 morning

Try to get as much done as possible, but don't panic if you don't finish everything.

1. Start the Emacs editor, either by typing `emacs` in your main window or by selecting it from the alt-middle mouse menu. (Your TA will show you how to do this.) From the **Help** menu, select the Emacs tutorial. You need not complete the entire tutorial at the first session, but you should do so eventually.

2. Start Scheme, either by typing `stk` in your main window or by typing meta-S in your Emacs window. Type each of the following expressions into Scheme, ending the line with the Enter (carriage return) key. **Think about the results!** Try to understand how Scheme interprets what you type.

3	(first 'hello)
(+ 2 3)	(first hello)
(+ 5 6 7 8)	(first (bf 'hello))
(+)	(+ (first 23) (last 45))
(sqrt 16)	(define pi 3.14159)
(+ (* 3 4) 5)	pi
+	'pi
'+	(+ pi 7)
'hello	(* pi pi)
'(+ 2 3)	(define (square x) (* x x))
'(good morning)	(square 5)
(first 274)	(square (+ 2 3))
(butfirst 274)	

3. Use Emacs to create a file called `pigl.scm` in your directory containing the Pig Latin program shown below:

```
(define (pig1 wd)
  (if (pl-done? wd)
      (word wd 'ay)
      (pig1 (word (bf wd) (first wd)))))
```

```
(define (pl-done? wd)
  (vowel? (first wd)))
```

```
(define (vowel? letter)
  (member? letter '(a e i o u)))
```

**Make sure you are editing a file whose name ends in `.scm`, so that Emacs will know to indent your code correctly!**

4. Now run Scheme. You are going to create a transcript of a session using the file you just created, like this:

(transcript-on "lab1")	; This starts the transcript file.
(load "pig1.scm")	; This reads in the file you created earlier.
(pig1 'scheme)	; Try out your program.
	; Feel free to try more test cases here!
(trace pig1)	; This is a debugging aid. Watch what happens
(pig1 'scheme)	; when you run a traced procedure.
(transcript-off)	
(exit)	

5. Use `lpr` to print your transcript file.

**CS 61A     Spring 2003     Week 1 Second Lab**  
**Wednesday 1/22 afternoon, Thursday 1/23, or Friday 1/24 morning**

1. Predict what Scheme will print in response to each of these expressions. *Then* try it and make sure your answer was correct, or if not, that you understand why!

```
(define a 3)
(define b (+ a 1))
(+ a b (* a b))
(= a b)
(if (and (> b a) (< b (* a b)))
    b
    a)
(cond ((= a 4) 6)
      ((= b 4) (+ 6 7 a))
      (else 25))
(+ 2 (if (> b a) b a))
(* (cond ((> a b) a)
        ((< a b) b)
        (else -1))
   (+ a 1))
((if (< a b) + -) a b)
```

2. In the shell, type the command

```
cp ~cs61a/lib/plural.scm .
```

(Note the period at the end of the line!) This will copy a file from the class library to your own directory. Then, using emacs to edit the file, modify the procedure so that it correctly handles cases like (`plural 'boy`).

3. Define a procedure that takes three numbers as arguments and returns the sum of the squares of the two larger numbers.

4. Write a procedure `dupls-removed` that, given a sentence as input, returns the result of removing duplicate words from the sentence. It should work this way:

```
> (dupls-removed '(a b c a e d e b))
(c a d e b)
> (dupls-removed '(a b c))
(a b c)
> (dupls-removed '(a a a a b a a))
(b a)
```

**CS 61A      Spring 2003      Week 2 Lab**  
**Monday 1/27 afternoon, Tuesday 1/28, or Wednesday 1/29 morning**

1. For each of the following expressions, what must **f** be in order for the evaluation of the expression to succeed, without causing an error? For each expression, give a definition of **f** such that evaluating the expression will not cause an error, and say what the expression's value will be, given your definition.

```
f
(f)
(f 3)
((f))
(((f)) 3)
```

2. Find the values of the expressions

```
((t 1+) 0)
((t (t 1+)) 0)
(((t t) 1+) 0)
```

where **1+** is a primitive procedure that adds 1 to its argument, and **t** is defined as follows:

```
(define (t f)
  (lambda (x) (f (f (f x)))) )
```

Work this out yourself before you try it on the computer!

3. Find the values of the expressions

```
((t s) 0)
((t (t s)) 0)
(((t t) s) 0)
```

where **t** is defined as in question 2 above, and **s** is defined as follows:

```
(define (s x)
  (+ 1 x))
```

4. Consider a Scheme function **g** for which the expression

```
((g) 1)
```

returns the value 3 when evaluated. Determine how many arguments **g** has. In one word, also describe as best you can the *type* of value returned by **g**.

5. Write and test the **make-tester** procedure. Given a word **w** as argument, **make-tester** returns a procedure of one argument **x** that returns true if **x** is equal to **w** and false otherwise. Examples:

```
> ((make-tester 'hal) 'hal)
#t
> ((make-tester 'hal) 'cs61a)
#f
> (define sicp-author-and-astronomer? (make-tester 'gerry))
> (sicp-author-and-astronomer? 'hal)
#f
> (sicp-author-and-astronomer? 'gerry)
#t
```

**CS 61A      Spring 2003      Week 3 Lab**  
**Monday 2/3 afternoon, Tuesday 2/4, or Wednesday 2/5 morning**

This lab exercise concerns the change counting program on pages 40–41 of Abelson and Sussman.

1. Identify two ways to change the program to *reverse* the order in which coins are tried, that is, to change the program so that pennies are tried first, then nickels, then dimes, and so on.
2. Abelson and Sussman claim that this change would not affect the *correctness* of the computation. However, it does affect the *efficiency* of the computation. Implement one of the ways you devised in exercise 1 for reversing the order in which coins are tried, and determine the extent to which the number of calls to `cc` is affected by the revision. Verify your answer on the computer, and provide an explanation. Hint: limit yourself to nickels and pennies, and compare the trees resulting from `(cc 5 2)` for each order.
3. Modify the `cc` procedure so that its `kinds-of-coins` parameter, instead of being an integer, is a *sentence* that contains the values of the coins to be used in making change. The coins should be tried in the sequence they appear in the sentence. For the `count-change` procedure to work the same in the revised program as in the original, it should call `cc` as follows:

```
(define (count-change amount)
  (cc amount '(50 25 10 5 1)) )
```

4. Many Scheme procedures require a certain type of argument. For example, the arithmetic procedures only work if given numeric arguments. If given a non-number, an error results.

Suppose we want to write *safe* versions of procedures, that can check if the argument is okay, and either call the underlying procedure or return `#f` for a bad argument instead of giving an error. (We'll restrict our attention to procedures that take a single argument.)

```
> (sqrt 'hello)
ERROR: magnitude: Wrong type in arg1 hello
> (type-check sqrt number? 'hello)
#f
> (type-check sqrt number? 4)
2
```

Write `type-check`. Its arguments are a function, a type-checking predicate that returns `#t` if and only if the datum is a legal argument to the function, and the datum.

5. We really don't want to have to use `type-check` explicitly every time. Instead, we'd like to be able to use a `safe-sqrt` procedure:

```
> (safe-sqrt 'hello)
#f
> (safe-sqrt 4)
2
```

Don't write `safe-sqrt`! Instead, write a procedure `make-safe` that you can use this way:

```
> (define safe-sqrt (make-safe sqrt number?))
```

It should take two arguments, a function and a type-checking predicate, and return a new function that returns `#f` if its argument doesn't satisfy the predicate.

**CS 61A      Spring 2003      Week 4 Lab**  
**Monday 2/10 afternoon, Tuesday 2/11, or Wednesday 2/12 morning**

1. Experiment with incorrect Scheme expressions, and find at least five different kinds of error messages that STk can print. “Different kinds” means that you can’t count both of

```
+: not a number: foo  
*: not a number: baz
```

2. Define the recursive Fibonacci procedure as on page 37 of SICP. Trace it. How can you characterize the appearance in the trace result of base-case calls? How many base-case calls are there when you compute (fib 5)?

3. Try out the Replacement Modeler program. First load it:

```
(load "~cs61a/lib/modeler.scm")
```

Then enter the expressions below, one at a time. Each one will create a new window containing the argument expression to the **model** special form. Try each expression repeatedly; first, start the modeler and try just repeating the RETURN key (the one in the main alphabetic keyboard). Then, using the same expression again, try just repeating the ENTER key (in the numeric keypad). Then try selecting a subexpression by clicking the mouse, and use RETURN and ENTER on that subexpression.

```
(model (+ (* 2 3) (- 5 1)))  
(model (every first '(tomorrow never knows)))  
(model (keep even? '(76 909 1 110 8)))  
(model (if (= 2 3) 'yes 'no))  
(model (if (= 3 3) 'yes 'no))  
(model (cond ((= 2 3) 'yes) ((= 2 2) 'no) (else 'maybe)))
```

**CS 61A      Spring 2003      Week 5 Lab**  
**Tuesday 2/18 or Wednesday 2/19 morning**

1. Try these in Scheme:

```
(define x (cons 4 5))

(car x)

(cdr x)

(define y (cons 'hello 'goodbye))

(define z (cons x y))

(car (cdr z))

(cdr (cdr z))
```

2. Predict the result of each of these before you try it:

```
(cdr (car z))

(car (cons 8 3))

(car z)

(car 3)
```

3. Enter these definitions into Scheme:

```
(define (make-rational num den)
  (cons num den))

(define (numerator rat)
  (car rat))

(define (denominator rat)
  (cdr rat))

(define (*rat a b)
  (make-rational (* (numerator a) (numerator b))
    (* (denominator a) (denominator b))))

(define (print-rat rat)
  (word (numerator rat) '/' (denominator rat)))
```

4. Try this:

```
(print-rat (make-rational 2 3))

(print-rat (*rat (make-rational 2 3) (make-rational 1 4)))
```

5. Define a procedure **+rat** to add two rational numbers, in the same style as **\*rat** above.

6. Now do exercises 2.2, 2.3, and 2.4 from *SICP*.

7. *SICP* ex. 2.18; this should take some thought, and you should make sure you get it right, but don't get stuck on it for the whole hour. **Note:** Your solution should reverse *lists*, not sentences! That is, you should be using **cons**, **car**, and **cdr**, not **first**, **sentence**, etc.

**CS 61A      Spring 2003      Week 6 Lab**  
**Monday 2/24 afternoon, Tuesday 2/25, or Wednesday 2/26 morning**

1. *SICP* ex. 2.25 and 2.53; these should be quick and easy.
2. *SICP* ex. 2.55; **explain your answer to your TA.**
3. *SICP* ex. 2.27. This is the central exciting adventure of today's lab! Think hard about it.
4. Each person individually make up a procedure named **mystery** that, given two lists as arguments, returns the result of applying *exactly two* of **cons**, **append**, or **list** to **mystery**'s arguments, using no quoted values or other procedure calls. Here are some examples of what is and is not fair game:

okay

```
(define (mystery L1 L2)
  (cons L1 (append L2 L1)))
```

```
(define (mystery L1 L2)
  (list L1 (list L1 L1)))
```

```
(define (mystery L1 L2)
  (append (cons L2 L2) L1))
```

not okay

```
(define (mystery L1 L2)
  (cons L1 (cons L2 (cons L1 L2))))
```

```
(define (mystery L1 L2)
  (cons L1 L2))
```

```
(define (mystery L1 L2)
  (append L1 (cons L1 '(A B C))))
```

Type your **mystery** definition into a file, and have one of your partners load it into Scheme and try to guess what it is by trying it out with various arguments.

After everyone has tried someone else's procedure, decide with your partners which procedure was hardest to guess and why, and what test cases were most and least helpful in revealing the definitions.

**CS 61A      Spring 2003      Week 7 Lab**  
**Monday 3/3 afternoon, Tuesday 3/4, or Wednesday 3/5 morning**

Start by reading *SICP* section 2.3.3 (pages 151–161).

1. *SICP* ex. 2.62.
2. The file `~cs61a/lib/bst.scm` contains the binary search tree procedures from pages 156–157 of *SICP*. Using `adjoin-set`, construct the trees shown on page 156.
3. *SICP* ex. 2.74.



CS 61A      Spring 2003      Week 8 Lab  
Monday 3/10 afternoon, Tuesday 3/11, or Wednesday 3/12 morning

1. Modify the `person` class given in the lecture notes for week 8 (it's in the file `demo2.scm` in the `~cs61a/lectures/3.0` directory) to add a `repeat` method, which repeats the last thing said. Here's an example of responses to the `repeat` message.

```
> (define brian (instantiate person 'brian))
brian
> (ask brian 'repeat)
()
> (ask brian 'say '(hello))
(hello)
> (ask brian 'repeat)
(hello)
> (ask brian 'greet)
(hello my name is brian)
> (ask brian 'repeat)
(hello my name is brian)
> (ask brian 'ask '(close the door))
(would you please close the door)
> (ask brian 'repeat)
(would you please close the door)
```

2. This exercise introduces you to the `usual` procedure described on page 9 of “Object-oriented Programming – Above-the-line View”. Read about `usual` there to prepare for lab.

Suppose that we want to define a class called `double-talker` to represent people that always say things twice, for example as in the following dialog.

```
> (define mike (instantiate double-talker 'mike))
mike
> (ask mike 'say '(hello))
(hello hello)
> (ask mike 'say '(the sky is falling))
(the sky is falling the sky is falling)
```

Consider the following three definitions for the `double-talker` class. (They can be found online in the file `~cs61a/lib/double-talker.scm`.)

```
(define-class (double-talker name)
  (parent (person name))
  (method (say stuff) (se (usual 'say stuff) (ask self 'repeat)))) )
```

```
(define-class (double-talker name)
  (parent (person name))
  (method (say stuff) (se stuff stuff)) )
```

```
(define-class (double-talker name)
  (parent (person name))
  (method (say stuff) (usual 'say (se stuff stuff)))) )
```

Determine which of these definitions work as intended. Determine also for which messages the three versions would respond differently.

**CS 61A      Spring 2003      Week 9 Lab**  
**Monday 3/17 afternoon, Tuesday 3/18, or Wednesday 3/19 morning**

1. Given below is a simplified version of the **make-account** procedure on page 223 of Abelson and Sussman.

```
(define (make-account balance)
  (define (withdraw amount)
    (set! balance (- balance amount)) balance)
  (define (deposit amount)
    (set! balance (+ balance amount)) balance)
  (define (dispatch msg)
    (cond
      ((eq? msg 'withdraw) withdraw)
      ((eq? msg 'deposit) deposit) ) )
  dispatch)
```

Fill in the blank in the following code so that the result works exactly the same as the **make-account** procedure above, that is, responds to the same messages and produces the same return values. The differences between the two procedures are that the inside of **make-account** above is enclosed in the **let** below, and the names of the parameter to **make-account** are different.

```
(define (make-account init-amount)
  (let ( _____ )
    (define (withdraw amount)
      (set! balance (- balance amount)) balance)
    (define (deposit amount)
      (set! balance (+ balance amount)) balance)
    (define (dispatch msg)
      (cond
        ((eq? msg 'withdraw) withdraw)
        ((eq? msg 'deposit) deposit) ) )
    dispatch) )
```

2. Modify either version of **make-account** so that, given the message **balance**, it returns the current account balance, and given the message **init-balance**, it returns the amount with which the account was initially created. For example:

```
> (define acc (make-account 100))
acc
> (acc 'balance)
100
```

**Continued on next page...**

## Week 9 continued:

3. Modify **make-account** so that, given the message **transactions**, it returns a list of all transactions made since the account was opened. For example:

```
> (define acc (make-account 100))
acc
> ((acc 'withdraw) 50)
50
> ((acc 'deposit) 10)
60
> (acc 'transactions)
((withdraw 50) (deposit 10))
```

4. Given this definition:

```
(define (plus1 var)
  (set! var (+ var 1))
  var)
```

Show the result of computing

```
(plus1 5)
```

using the substitution model. That is, show the expression that results from substituting **5** for **var** in the body of **plus1**, and then compute the value of the resulting expression. What is the actual result from Scheme?

**Continued on next page...**

## Week 9 continued:

This lab activity consists of example programs for you to run in Scheme. Predict the result before you try each example. If you don't understand what Scheme actually does, ask for help! Don't waste your time by just typing this in without paying attention to the results.

```
(define (make-adder n)
  (lambda (x) (+ x n)))

(make-adder 3)

((make-adder 3) 5)

(define (f x) (make-adder 3))

(f 5)

(define g (make-adder 3))

(g 5)

(define (make-funny-adder n)
  (lambda (x)
    (if (equal? x 'new)
        (set! n (+ n 1))
        (+ x n))))

(define h (make-funny-adder 3))

(define j (make-funny-adder 7))

(h 5)

(h 5)

(h 'new)

(h 5)

(j 5)

(let ((a 3))
  (+ 5 a))

(let ((a 3))
  (lambda (x) (+ x a)))

((let ((a 3))
  (lambda (x) (+ x a)))
 5)

((lambda (x)
  (let ((a 3))
    (+ x a)))
 5)

(define k
  (let ((a 3))
    (lambda (x) (+ x a))))

(k 5)

(define m
  (lambda (x)
    (let ((a 3))
      (+ x a))))

(m 5)

(define p
  (let ((a 3))
    (lambda (x)
      (if (equal? x 'new)
          (set! a (+ a 1))
          (+ x a))))))

(p 5)

(p 5)

(p 'new)

(p 5)

(define r
  (lambda (x)
    (let ((a 3))
      (if (equal? x 'new)
          (set! a (+ a 1))
          (+ x a))))))

(r 5)

(r 5)

(r 'new)

(r 5)
```

Continued on next page...

### Week 9 continued:

```
(define s
  (let ((a 3))
    (lambda (msg)
      (cond ((equal? msg 'new)
              (lambda ()
                (set! a (+ a 1))))
            ((equal? msg 'add)
              (lambda (x) (+ x a)))
            (else (error "huh?"))))))

(s 'add)

(s 'add 5)

((s 'add) 5)

(s 'new)

((s 'add) 5)

((s 'new))

((s 'add) 5)
```

```
(define (ask obj msg . args)
  (apply (obj msg) args)))

(ask s 'add 5)

(ask s 'new)

(ask s 'add 5)

(define x 5)

(let ((x 10)
      (f (lambda (y) (+ x y))))
  (f 7))

(define x 5)
```

**CS 61A      Spring 2003      Week 10 Lab**  
**Monday 3/31 afternoon, Tuesday 4/1, or Wednesday 4/2 morning**

1. Exercise 3.12 of Abelson and Sussman.

2. Suppose that the following definitions have been provided.

```
(define x (cons 1 3))  
(define y 2)
```

A CS 61A student, intending to change the value of `x` to a pair with `car` equal to 1 and `cdr` equal to 2, types the expression `(set! (cdr x) y)` instead of `(set-cdr! x y)` and gets an error. Explain why.

3a. Provide the arguments for the two `set-cdr!` operations in the blanks below to produce the indicated effect on `list1` and `list2`. Do not create any new pairs; just rearrange the pointers to the existing ones.

```
> (define list1 (list (list 'a) 'b))  
list1  
> (define list2 (list (list 'x) 'y))  
list2  
> (set-cdr! _____ )  
okay  
> (set-cdr! _____ )  
okay  
> list1  
((a x b) b)  
> list2  
((x b) y)
```

3b. After filling in the blanks in the code above and producing the specified effect on `list1` and `list2`, draw a box-and-pointer diagram that explains the effect of evaluating the expression `(set-car! (cdr list1) (cadr list2))`.

4. Exercises 3.13 and 3.14 in Abelson and Sussman.

**CS 61A      Spring 2003      Week 11 Lab**  
**Monday 4/7 afternoon, Tuesday 4/8, or Wednesday 4/9 morning**

1. For this lab you'll need three people, each on a separate workstation.

One person should choose to be the server, and should do this:

```
> (load "~cs61a/lib/im-server.scm")  
> (im-server-start)
```

Make a note of the IP address and port number that this prints!

The other people will be clients. They should do this:

```
> (load "~cs61a/lib/im-client.scm")  
> (im-enroll "123.45.67.89" 6543)      ; use actual numbers from server!
```

but using the server's IP address instead of 123.45.67.89 and the server's port number instead of 6543. (Note that the IP address must be enclosed in quotation marks.)

The clients can then send each other messages:

```
> (im 'cs61a-xy "Hi there, how are you?")
```

The messages can't include more than one line.

A client can leave the IM system by running

```
> (im-exit)
```

The server can quit (which disconnects all the clients) with

```
> (im-server-close)
```

2. Quit Scheme. In the shell, try this:

```
traceroute berkeley.edu  
traceroute mit.edu  
traceroute yahoo.fr
```

To understand what you're seeing, try

```
man traceroute
```

(Hint: `“.fr”` means France.)

3. If there's still time, start on the homework, since it'll be easier to test your work with several people.

**CS 61A      Spring 2003      Week 12 Lab**  
**Monday 4/14 afternoon, Tuesday 4/15, or Wednesday 4/16 morning**

1. List all the procedures in the metacircular evaluator that call **eval**.
2. List all the procedures in the metacircular evaluator that call **apply**.
3. Explain why **make-procedure** does *not* call **eval**.
4. Abelson and Sussman, exercises 4.1, 4.2, 4.4, 4.5



**CS 61A     Spring 2003     Week 13 Lab**  
**Monday 4/21 afternoon, Tuesday 4/22, or Wednesday 4/23 morning**

In this lab exercise you will become familiar with the Logo programming language, for which you'll be writing an interpreter in project 4.

To begin, type `logo` at the Unix shell prompt — **not** from Scheme! You should see something like this:

```
Welcome to Berkeley Logo version 3.4
?
```

The question mark is the Logo prompt, like the `>` in Scheme. (Later, in some of the examples below, you'll see a `>` prompt from Logo, while in the middle of defining a procedure.)

1. Type each of the following instruction lines and note the results. (A few of them will give error messages.) If you can't make sense of a result, ask for help.

<code>print 2 + 3</code>	<code>second "something</code>
<code>print 2+3</code>	<code>print second "piggies</code>
<code>print sum 2 3</code>	<code>pr second [another girl]</code>
<code>print (sum 2 3 4 5)</code>	<code>pr first second [carry that weight]</code>
<code>print sum 2 3 4 5</code>	<code>pr second second [i dig a pony]</code>
<code>2+3</code>	<code>to pr2nd :thing</code>
	<code>print first bf :thing</code>
	<code>end</code>
<code>print "yesterday</code>	<code>pr2nd [the 1 after 909]</code>
<code>print "julia"</code>	<code>print first pr2nd [hey jude]</code>
<code>print revolution</code>	<code>repeat 5 [print [this boy]]</code>
<code>print [blue jay way]</code>	<code>if 3 = 1+1 [print [the fool on the hill]]</code>
<code>show [eight days a week]</code>	<code>print ifelse 2=1+1 ~</code>
<code>show first [golden slumbers]</code>	<code>    [second [your mother should know]] ~</code>
<code>print first bf [she loves you]</code>	<code>    [first "help]</code>
<code>pr first first bf [yellow submarine]</code>	<code>print ifelse 3=1+2 ~</code>
	<code>    [strawberry fields forever] ~</code>
	<code>    [penny lane]</code>
<code>to second :stuff</code>	<code>print ifelse 4=1+2 ~</code>
<code>output first bf :stuff</code>	<code>    ["flying] ~</code>
<code>end</code>	<code>    [[all you need is love]]</code>

Continued on next page...

Week 13 continued...

```
to greet :person
say [how are you,]
end
```

```
to say :saying
print sentence :saying :person
end
```

```
greet "ringo
```

```
show map "first [paperback writer]
```

```
show map [word first ? last ?] ~
        [lucy in the sky with diamonds]
```

```
to who :sent
foreach [pete roger john keith] "describe
end
```

```
to describe :person
print se :person :sent
end
```

```
who [sells out]
```

```
print :bass
```

```
make "bass "paul
```

```
print :bass
```

```
print bass
```

```
to bass
output [johnny cymbal]
end
```

```
print bass
```

```
print :bass
```

```
print "bass
```

```
to countdown :num
if :num=0 [print "blastoff stop]
print :num
countdown :num-1
end
```

```
countdown 5
```

```
to downup :word
print :word
if empty? bl :word [stop]
downup bl :word
print :word
end
```

```
downup "rain
```

```
;;; The following stuff will work
;;; only on an X workstation:
```

```
cs
```

```
repeat 4 [forward 100 rt 90]
```

```
cs
```

```
repeat 10 [repeat 5 [fd 150 rt 144] rt 36]
```

```
cs repeat 36 [repeat 4 [fd 100 rt 90]
                    setpc remainder pencolor+1 8
                    rt 10]
```

```
to tree :size
if :size < 3 [stop]
fd :size/2
lt 30 tree :size*3/4 rt 30
fd :size/3
rt 45 tree :size*2/3 lt 45
fd :size/6
bk :size
end
```

```
cs pu bk 100 pd ht tree 100
```

2. Devise an example that demonstrates that Logo uses dynamic scope rather than lexical scope. Your example should involve the use of a variable that would have a different value if Logo used lexical scope. Test your code with Berkeley Logo.

3. Explain the differences and similarities among the Logo operators " (double-quote), [ ] (square brackets), and : (colon).

**CS 61A      Spring 2003      Week 14 Lab**  
**Monday 4/28 afternoon, Tuesday 4/29, or Wednesday 4/30 morning**

1. What is the type of the value of `(delay (+ 1 27))`? What is the type of the value of `(force (delay (+ 1 27)))`?

2. Evaluation of the expression

```
(stream-cdr (stream-cdr (cons-stream 1 '(2 3))))
```

produces an error. Why?

3. Consider the following two procedures.

```
(define (enumerate-interval low high)
  (if (> low high)
      '()
      (cons low (enumerate-interval (+ low 1) high)) ) )

(define (stream-enumerate-interval low high)
  (if (> low high)
      the-empty-stream
      (cons-stream low (stream-enumerate-interval (+ low 1) high)) ) )
```

What's the difference between the following two expressions?

```
(delay (enumerate-interval 1 3))
(stream-enumerate-interval 1 3)
```

4. An unsolved problem in number theory concerns the following algorithm for creating a sequence of positive integers  $s_1, s_2, \dots$

Choose  $s_1$  to be some positive integer.  
For  $n > 1$ ,  
if  $s_n$  is odd, then  $s_{n+1}$  is  $3 s_n + 1$ ;  
if  $s_n$  is even, then  $s_{n+1}$  is  $s_n / 2$ .

No matter what starting value is chosen, the sequence always seems to end with the values 1, 4, 2, 1, 4, 2, 1, ... However, it is not known if this is always the case.

4a. Write a procedure **num-seq** that, given a positive integer **n** as argument, returns the stream of values produced for **n** by the algorithm just given. For example, `(num-seq 7)` should return the stream representing the sequence 7, 22, 11, 34, 17, 52, 26, 13, 40, 20, 10, 5, 16, 8, 4, 2, 1, 4, 2, 1, ...

4b. Write a procedure **seq-length** that, given a stream produced by **num-seq**, returns the number of values that occur in the sequence up to and including the first 1. For example, `(seq-length (num-seq 7))` should return 17. You should assume that there is a 1 somewhere in the sequence.

**CS 61A      Spring 2003      Week 15 Lab**  
**Monday 5/5 afternoon, Tuesday 5/6, or Wednesday 5/7 morning**

Abelson and Sussman, exercises 4.55 and 4.62:

4.55: Give simple queries that retrieve the following information from the data base:

All people supervised by Ben Bitdiddle;

The names and jobs of all people in the accounting division;

The names and addresses of all people who live in Slumerville.

4.62: Define rules to implement the **last-pair** operation of exercise 2.17, which returns a list containing the last element of a nonempty list. Check your rules on queries such as

```
(last-pair (3) ?x)
(last-pair (1 2 3) ?x)
(last-pair (2 ?x) (3))
```

Do your rules work correctly on queries such as `(last-pair ?x (3))`?

For the lab exercises and the homework problems that involve writing queries or rules, test your solutions using the query system. To run the query system and load in the sample data:

```
stk
(load "~cs61a/lib/query.scm")
(initialize-data-base microshaft-data-base)
(query-driver-loop)
```

You're now in the query system's interpreter. To add an assertion:

```
(assert! (foo bar))
```

To add a rule:

```
(assert! (rule (foo) (bar)))
```

Anything else is a query.