

CS 61A Lecture Notes First Half of Week 3

Topic: Hierarchical data

Reading: Abelson & Sussman, Section 2.2.2–2.2.3, 2.3.1, 2.3.3

- Trees.

Big idea: representing a hierarchy of information.

Definitions: *node*, *root*, *branch*, *leaf*.

A node is a particular point in the tree, but it's also a subtree, just as a pair *is* a list at the same time that it's a pair.

What are trees good for?

- Hierarchy: world, countries, states, cities.
- Ordering: binary search trees.
- Composition: arithmetic operations at branches, numbers at leaves.

Many problems involve tree *search*: visiting each node of a tree to look for some information there. Maybe we're looking for a particular node, maybe we're adding up all the values at all the nodes, etc. There is one obvious order in which to search a sequence (left to right), but many ways in which we can search a tree.

Depth-first search: Look at a given node's children before its siblings.

Breadth-first search: Look at the siblings before the children.

Within the DFS category there are more kinds of orderings:

Preorder: Look at a node before its children.

Postorder: Look at the children before the node.

Inorder (binary trees only): Look at the left child, then the node, then the right child.

For a tree of arithmetic operations, preorder is Lisp, inorder is conventional arithmetic notation, postorder is HP calculator.

(Note: In 61B we come back to trees in more depth, including the study of *balanced* trees, i.e., using special techniques to make sure a search tree has about as much stuff on the left as on the right.)

- Below-the-line representation of trees.

Lisp has one built-in way to represent sequences, but there is no official way to represent trees. Why not?

- Branch nodes may or may not have data.
- Binary vs. n-way trees.
- Order of siblings may or may not matter.
- Can tree be empty?

We can think about a tree ADT in terms of a selector and constructors:

```
(make-tree datum children)
```

```
(datum node)
```

```
(children node)
```

The selector `children` should return a list (sequence) of the children of the node. These children are themselves trees. A leaf node is one with no children:

```
(define (leaf? node)
  (null? (children node)))
```

This definition of `leaf?` should work no matter how we represent the ADT.

If every node in your tree has a datum, then the straightforward implementation is

```
;;;;;                               Compare file cs61a/lectures/2.2/tree1.scm
(define make-tree cons)
(define datum car)
(define children cdr)
```

On the other hand, it's also common to think of any list structure as a tree in which the leaves are words and the branch nodes don't have data. For example, a list like

```
(a (b c d) (e (f g) h))
```

can be thought of as a tree whose root node has three children: the leaf `a` and two branch nodes. For this sort of tree it's common not to use formal ADT selectors and constructors at all, but rather just to write procedures that handle the `car` and the `cdr` as subtrees. To make this concrete, let's look at mapping a function over all the data in a tree.

First we review mapping over a sequence:

```
;;;;;                               In file cs61a/lectures/2.2/squares.scm
(define (SQUARES seq)
  (if (null? seq)
      '()
      (cons (SQUARE (car seq))
            (SQUARES (cdr seq)))))
```

The pattern here is that we apply some operation (`square` in this example) to the data, the elements of the sequence, which are in the `cars` of the pairs, and we recur on the sublists, the `cdrs`.

Now let's look at mapping over the kind of tree that has data at every node:

```
;;;;;                               In file cs61a/lectures/2.2/squares.scm
(define (SQUARES tree)
  (make-tree (SQUARE (datum tree))
            (map SQUARES (children tree))))
```

Again we apply the operation to every datum, but instead of a simple recursion for the rest of the list, we have to recur for *each child* of the current node. We use `map` (mapping over a sequence) to provide several recursive calls instead of just one.

If the data are only at the leaves, we just treat each pair in the structure as containing two subtrees:

```
;;;;;                               In file cs61a/lectures/2.2/squares.scm
(define (SQUARES tree)
  (cond ((null? tree) '())
        ((atom? tree) (SQUARE tree))
        (else (cons (SQUARES (car tree))
                    (SQUARES (cdr tree)))))
```

The hallmark of tree recursion is to recur for both the `car` and the `cdr`.